

Prodigi™ Stands and Equipment Combinations



EN

MN-48177
Rev 5
01/2026

Manufacturer's Information

Copyright

© Copyright 01/2026 by Alto-Shaam, Inc.

All rights reserved.

This manual or any portion thereof may not be reproduced or used in any manner whatsoever without the express written permission of Alto-Shaam, Inc.

Trademarks

All trademarks referenced in this documentation are the property of their respective owners.

Manufacturer

Alto-Shaam, Inc.

P.O. Box 450

W164 N9221 Water Street

Menomonee Falls, WI 53052

Original instructions

The content in this manual is written in American English.

Updates

The information in this Guide was current at the time of publication. Scan or click the QR code below, or visit www.alto-shaam.com/en/products/combi-ovens for the latest version.



Contents

Top Units	4
Bottom Units.....	5
Combinations—6-10E/G or 10-10E/G on Stands.....	7
Combinations—7-20E/G or 10-20E/G on Stands	12
Combinations—6-10E or 10-10E with Ventech™ Hoods on Stands.....	18
Combinations—7-20E or 10-20E with Ventech™ Hoods on Stands.....	23
How to Adjust the Side Racks (if applicable)	29
Stand Details.....	30


How To Use This Guide

The stands in this guide are designed to accommodate Alto-Shaam Prodigy™ ovens alone, or with other Alto-Shaam equipment below. Follow the steps below to choose a compatible stand for your application.

1. Select the desired Prodigy oven from the options shown on page 4. Each top unit is assigned a letter.
2. Select the bottom equipment (if desired) from the options shown on pages 5–6. Each bottom unit is assigned a number.
3. Beginning on page 7, identify compatible stands by matching letter/number combinations with those of your desired equipment. Stands are organized by Prodigy oven size. Pages 18–28 depict electric ovens with Ventech™ hoods.

Note: A slash symbol (Ø) indicates a stand cannot accommodate a bottom unit.

Human figures are provided next to each combination to give a sense of the overall height of the oven on the stand. Detailed dimensional views of each stand can be found on pages 30–31.



Top Units

Letter	Image	Model	Description
A		Prodigy 6-10E/G	Combi Oven Electric or Gas
B		Prodigy 7-20E/G	Combi Oven Electric or Gas
C		Prodigy 10-10E/G	Combi Oven Electric or Gas
D		Prodigy 10-20E/G	Combi Oven Electric or Gas

Bottom Units

Note: Bottom units placed on lower shelves must not be equipped with casters.

Number	Image	Model	Description
3		500-S	Low-Temperature Holding Cabinet
7		750-S	Low-Temperature Holding Cabinet
13		500-1D	Single-Drawer Drawer Warmer
16		500-3D	Three-Drawer Drawer Warmer


Bottom Units (continued)

Note: Bottom units placed on lower shelves must not be equipped with casters.

Number	Image	Model	Description
18		500-1DN	Single-Drawer Drawer Warmer, Narrow
21		500-3DN	Single-Drawer Drawer Warmer, Narrow

Combinations—6-10E/G or 10-10E/G Stands

Note: The human figures at left are provided for general height reference. They are depicted as 5'-5" [1651mm] and 6' [1829mm] tall.



STAND NUMBER:

5016088 (Stationary with Shelf)

Available Bottom Units




⑬ 500-ID



⑱ 500-IDN

Combinations—6-10E/G or 10-10E/G Stands [continued]

Note: The human figures at left are provided for general height reference. They are depicted as 5'-5" (1651mm) and 6' (1829mm) tall.




STAND NUMBER:

5016089 (Stationary with Pan Slides & Shelf—spacing 2-11/16" (68mm))

Available Bottom Units: **NONE**

Combinations—6-10E/G or 10-10E/G Stands [continued]

Note: The human figures at left are provided for general height reference. They are depicted as 5'-5" [1651mm] and 6' [1829mm] tall.



STAND NUMBER:

5016090 (Mobile with Shelf)

Available Bottom Units




⑬ 500-1D



⑱ 500-1DN

Combinations—6-10E/G or 10-10E/G Stands [continued]

Note: The human figures at left are provided for general height reference. They are depicted as 5'-5" (1651mm) and 6' (1829mm) tall.




STAND NUMBER:

5016091 (Mobile with Pan Slides and Shelf)

Available Bottom Units: **NONE**

Combinations—6-10E/G or 10-10E/G Stands [continued]

Note: The human figures at left are provided for general height reference. They are depicted as 5'-5" [1651mm] and 6' [1829mm] tall.



STAND NUMBER:

5016092 (Stationary)

Available Bottom Units



③ 500-S



⑦ 750-S



⑯ 500-3D



⑰ 500-3DN


Combinations—7-20E/G or 10-20E/G Stands

Note: The human figures at left are provided for general height reference. They are depicted as 5'-5" [1651mm] and 6' [1829mm] tall.

STAND NUMBER:	5015711 (Mobile with Pan Slides and Shelf)
Available Bottom Units: NONE	

Combinations—7-20E/G or 10-20E/G Stands [continued]

Note: The human figures at left are provided for general height reference. They are depicted as 5'-5" [1651mm] and 6' [1829mm] tall.



STAND NUMBER:

5016083 (Stationary with Shelf)

Available Bottom Units



⑬ 500-1D



⑱ 500-1DN

Combinations—7-20E/G or 10-20E/G Stands [continued]

Note: The human figures at left are provided for general height reference. They are depicted as 5'-5" (1651mm) and 6' (1829mm) tall.


The diagram shows four configurations of laboratory stands. On the left, two human figures are shown for scale, one 5'-5" (1651mm) tall and one 6' (1829mm) tall. The first two stands are labeled 'B 7-20' and have a width of 43-3/4" (1111mm) and a height of 62-1/8" (1578mm). The second stand has a width of 44-13/16" (1138mm). The last two stands are labeled 'D 10-20' and have a width of 44-13/16" (1138mm) and a height of 71-1/4" (1810mm). All stands have a base height of 24-7/16" (621mm). Red prohibition symbols are placed over the base units of the stands.

STAND NUMBER: 5016084 (Stationary with Pan Slides and Shelf)

Available Bottom Units: **NONE**

Combinations—7-20E/G or 10-20E/G Stands [continued]

Note: The human figures at left are provided for general height reference. They are depicted as 5'-5" [1651mm] and 6' [1829mm] tall.



STAND NUMBER:

5016085 (Mobile with Shelf)

Available Bottom Units



⑬ 500-1D



⑱ 500-1DN

Combinations—7-20E/G or 10-20E/G Stands [continued]

Note: The human figures at left are provided for general height reference. They are depicted as 5'-5" [1651mm] and 6' [1829mm] tall.

STAND NUMBER: **5016087 (Stationary)**

Available Bottom Units



③ 500-S



⑦ 750-S



①⑥ 500-3D



②① 500-3DN

Combinations—7-20E/G or 10-20E/G Stands [continued]

Note: The human figures at left are provided for general height reference. They are depicted as 5'-5" [1651mm] and 6' [1829mm] tall.

The diagram shows four mobile stands on wheels. On the left, two human figures are shown for height reference, one 5'-5" (1651mm) tall and one 6' (1829mm) tall. The stands are labeled as follows:


- Stand 1: Labeled 'B 7-20'. Total width: 43-3/4" (1111mm). Total height: 58-3/16" (1478mm). Bottom unit height: 20-5/16" (516mm). A red prohibition sign is over the bottom unit.
- Stand 2: Labeled 'B 7-20'. Total width: 44-13/16" (1138mm). A red prohibition sign is over the bottom unit.
- Stand 3: Labeled 'D 10-20'. Total width: 43-3/4" (1111mm). Total height: 66-9/16" (1691mm). Bottom unit height: 20-5/16" (516mm). A red prohibition sign is over the bottom unit.
- Stand 4: Labeled 'D 10-20'. Total width: 44-13/16" (1138mm). A red prohibition sign is over the bottom unit.

STAND NUMBER: 5025408 (Mobile with Shelf)

Available Bottom Units: **NONE**

Combinations—6-10E or 10-10E with Ventech™ Hoods on Stands

Note: The human figures at left are provided for general height reference. They are depicted as 5'-5" (1651mm) and 6' (1829mm) tall.



STAND NUMBER:

5016088 (Stationary with Shelf)

Available Bottom Units




⑬ 500-1D



⑱ 500-1DN


Combinations—6-10E or 10-10E with Ventech™ Hoods on Stands

Note: The human figures at left are provided for general height reference. They are depicted as 5'-5" (1651mm) and 6' (1829mm) tall.



Combinations—6-10E or 10-10E with Ventech™ Hoods on Stands

Note: The human figures at left are provided for general height reference. They are depicted as 5'-5" (1651mm) and 6' (1829mm) tall.



STAND NUMBER:

5016090 (Mobile with Shelf)

Available Bottom Units




⑬ 500-1D



⑱ 500-1DN


Combinations—6-10E or 10-10E with Ventech™ Hoods on Stands

Note: The human figures at left are provided for general height reference. They are depicted as 5'-5" (1651mm) and 6' (1829mm) tall.



Combinations—6-10E or 10-10E with Ventech™ Hoods on Stands

Note: The human figures at left are provided for general height reference. They are depicted as 5'-5" (1651mm) and 6' (1829mm) tall.



STAND NUMBER:

5016092 (Stationary)

Available Bottom Units



③ 500-S



⑦ 750-S




⑬ 500-3D



⑰ 500-3DN


Combinations—7-20E or 10-20E with Ventech™ Hoods on Stands

Note: The human figures at left are provided for general height reference. They are depicted as 5'-5" (1651mm) and 6' (1829mm) tall.



Combinations—7-20E or 10-20E with Ventech™ Hoods on Stands [continued]

Note: The human figures at left are provided for general height reference. They are depicted as 5'-5" (1651mm) and 6' (1829mm) tall.



STAND NUMBER:

5016083 (Stationary with Shelf)

Available Bottom Units




⑬ 500-1D



⑱ 500-1DN


Combinations—7-20E or 10-20E with Ventech™ Hoods on Stands [continued]

Note: The human figures at left are provided for general height reference. They are depicted as 5'-5" (1651mm) and 6' (1829mm) tall.



Combinations—7-20E or 10-20E with Ventech™ Hoods on Stands [continued]

Note: The human figures at left are provided for general height reference. They are depicted as 5'-5" (1651mm) and 6' (1829mm) tall.



STAND NUMBER:

5016085 (Mobile with Shelf)

Available Bottom Units




⑬ 500-1D



⑱ 500-1DN

Combinations—7-20E or 10-20E with Ventech™ Hoods on Stands [continued]

Note: The human figures at left are provided for general height reference. They are depicted as 5'-5" (1651mm) and 6' (1829mm) tall.



STAND NUMBER: 5016087 (Stationary)

Available Bottom Units



③ 500-S



⑦ 750-S




①⑥ 500-3D



②① 500-3DN

Combinations—7-20E or 10-20E with Ventech™ Hoods on Stands [continued]

Note: The human figures at left are provided for general height reference. They are depicted as 5'-5" [1651mm] and 6' [1829mm] tall.




How to Adjust the Side Racks [if applicable]

Stands equipped with side racks allow the user to set the side racks at different widths to accommodate various pans. Racks can be moved inward or outward if desired by following the instructions provided below.

To move a side rack:

1. Raise the rack above the stand shelf and rotate it toward the center of the stand until the top tabs are free.
2. Shift the top tabs to the desired inner slots on the underside of the top panel. Insert the top tabs into the inner slots.
3. Finally, rotate the rack back to the vertical position and drop it into the inner slots on the stand shelf.




Stand Details


Dimensional views of each stand are provided below and on the following page.

NOTES: Length and width dimensions at the base refer to stand "footprints"; in other words, the overall floor space required.

Height dimensions refer to the maximum distance from the floor to the top of the stands because flanged feet are adjustable.



Stand Details [continued]



ALTO-SHAAM.

Menomonee Falls, WI U.S.A.

Phone 800-558-8744 | +1-262-251-3800 | alto-shaam.com