



ANCASTER
FOOD EQUIPMENT

**AFE BRAND NEW
WALK IN COOLERS**



	<i>AFE WIC-6x6x8</i>	<i>AFE WIC-8x10x8</i>	<i>AFE WIC-8x8x8</i>
Nominal Size	6' x 6' x 8'	8' x 8' x 8'	8' x 10' x 8'
Exterior Dimensions	6' x 6' x 7'8"	8' x 8' x 7'8"	8' x 10' x 7'8"
Interior Dimensions	64" x 64" x 88"	88" x 88" x 88"	88" x 112" x 88"
Internal Volume	210 cubic feet	395 cubic feet	502 cubic feet
Refrigeration Configuration	Ceiling or wall mounted monoblock		
Refrigeration Unit Included	Yes, monoblock included in kit		
Compressor Type	Embraco 1HP	Embraco 1HP	Tecumseh 2HP
Electrical Requirements	220V/1PH/60Hz (hard-wired)	220V/1PH/60Hz (hard-wired)	220V/1PH/60Hz (hard-wired)
	Dedicated Circuit Required		
Temperature Range	0 to 5 Celsius (adjustable)		
Door Type	Hinged insulated walk-in door		
Door Opening	36" x 78"		
Interior Lights	Interior LED Light Included		
Installation Type	Modular cam-lock panels		
Panel Thickness	4 inches		
Panel Rating	B1 Combo		
Floor Configuration	No insulated floor; installs on finished floor		
Base Channel Type	U-shaped locating channel (perimeter)		
Not Included	Finished building floor/site preparation, building electrical supply and disconnect, drain piping, installation labour, permits if required, interior shelving		
Warranty	One-year parts and service, 5 years on the compressor part		




CONTACT US FOR MORE DETAILS:


WWW.ANCASTERFOODEQUIPMENT.COM · TOLL FREE 1-855-888-9644 · SALES@ANCASTERFOODEQUIPMENT.COM

A


6'x 6'x 7'8" walk in cooler




wall panel




ceiling panel



door sketch



door sketch



cam-lock

outer size	1830mm x 1830mm x 2340mm, total:11pcs panel
wall panel	1000*2240mm=3pcs (A2,A4,A8) 630*2240mm=1pc (A9)
corner panel	730*2240mm=2pcs (A1,A3) 300*2240mm=1pc (A5) 295*2240mm=1pc (A7)
door panel	1235*2240mm=1pc (A6)
ceiling panel	830*1830mm=1pc (A10) 1000*1830mm=1pc (A11)
spare panel	1000*2240mm=4pcs (CW) 1000*1830mm=2pcs (CC6)

1.	outer size of cold room: 6'6"7'8"=1830*1830*2340mm
2.	Panel in 100mm PU with 0.5mm color steel both sides. ripple embossed, Combi. B1 fire-proof.
3.	height of wall panel: 2240mm.
4.	full-buried hinged cooler door, opening to left. door opening size:W36""H78""=W915"H1980mm, door panel in 100mm PU with 0.5mm color steel both sides, three sides 110V heating wire, pre-bury one PVC tube and wire box(outside of cold room), switch and wire are with UL/ETL.




Remark:

Spare panel: 1000*2240=4pcs(CW); 1000*1830=2pc(CC6)

Spare panels are not packed inside the plywood crate.

C

8'x 10'x 7'8" walk in cooler




outer size	2440mm x 3050mm x 2340mm, total:15pcs panel
wall panel	1000*2240mm=6pcs (C2.C3.C5.C6.C10.C11) 850*2240mm=1pc (C12)
corner panel	340*2240mm=1pc (C1) 950*2240mm=1pc (C4) 605*2240mm=1pc (C7) 600*2240mm=1pc (C9)
door panel	1235*2240mm=1pc (C8)
ceiling panel	1050*2440mm=1pc (C13) 1000*2440mm=2pcs (C14.C15)


wall panel

ceiling panel

door sketch



door sketch



1.	outer size of cold room: 8*10*7'8"=2440*3050*2340mm
2.	Panel in 100mm PU with 0.5mm color steel both sides. ripple embossed, Combi. B1 fire-proof.
3.	height of wall panel: 2240mm.
4.	full-buried hinged cooler door, opening to left, door opening size:W36"*H78"=W915*H1980mm, door panel in 100mm PU with 0.5mm color steel both sides, three sides 110V heating wire, pre-bury one PVC tube and wire box(outside of cold room), switch and wire are with UL/ETL.