ATOSA USA, INC.
Toll Free: 855-855-0399 Email: info@atosausa.com
www.atosa.com | www.atosausa.com
California, Colorado, Florida, Georgia, Illinois,
New Jersey, Ohio, Texas, Washington

"WE MAKE THE KITCHEN BETTER!"

Worktop Refrigerators with Drawers & Backsplash

MODELS:

AWR27D2 / AWR36D2 / AWR48D4 / AWR60D4 / AWR72D6

AWR27D2

AWR36D2

AWR48D4

AWR60D4

AWR72D6

Standard Features

- Stainless steel exterior & interior with reinforced stainless steel top
- Environmentally friendly R290 refrigerant
- Electronic temperature controller
- Maintains temperatures between 35°F – 38°F
- Recessed door handle(s)
- Magnetic drawer gasket(s)
- Each unit comes standard with 1/6 size pans
- Standard pre-installed 5" swivel stem casters: B0604007 (with brake) & B0604006 (no brake)

Optional Accessories

- Extended warranty up to 5 years
- 1.2", 1.5" & 2" Low profile swivel plate casters available
- 4" Swivel stem casters available

Caster Part Number (with brake)	Caster Part Number (no brake)	Description	Unit Overall Height (in)
R06001000228	R06001000229	1.2" swivel plate casters	$34^{3/4}$
R06001000063	N/A	1.5" swivel plate caster	$35^{3/8}$
B0604434	B0604433	2" swivel plate casters	36
B0604421	B0604413	4" swivel stem casters	$37^{7/8}$
B0604007	B0604006	5" swivel stem casters	$38^{7/8}$

For the best results of food preservation we recommend setting your refrigerator between 35°F to 38 °F

1. Don't forget to leave the unit some room to breathe!
2. Please clean the condenser frequently to give the unit more fresh air.

3 YEAR PARTS AND LABOR WARRANTY
5 YEAR COMPRESSOR PART WARRANTY

REV. 07/26

ATOSA USA, INC.
Toll Free: 855-855-0399 Email: info@atosausa.com
www.atosa.com | www.atosausa.com
California, Colorado, Florida, Georgia, Illinois,
New Jersey, Ohio, Texas, Washington

"WE MAKE THE KITCHEN BETTER!"

SPECIFICATIONS

Models	Drawers	Capacity (Cu.Ft.)	Casters (inch)	Amps (A)	Voltage (V/Hz/Ph)	HP	Refrigerant	Exterior Dimensions (inch)	Net Weight (lb)	Gross Weight (lb)
AWR27D2	2	6.53	5	3.4	115/60/1	1/7+	R290	$27^{1/2}\times30\times38^{7/8}$	143	198
AWR36D2	2	8.97	5	3.4	115/60/1	1/7+	R290	$36^{3/8}\times30\times38^{7/8}$	172	236
AWR48D4	4	12.22	5	3.4	115/60/1	1/7+	R290	$40^{1/4}\times30\times38^{7/8}$	201	278
AWR60D4	4	15.5	5	3.9	115/60/1	1/5	R290	$60^{1/4}\times30\times38^{7/8}$	227	324
AWR72D6	6	18.89	5	3.9	115/60/1	1/5	R290	$72^{5/8}\times30\times38^{7/8}$	258	370

PLAN VIEW

AWR27D2



AWR36D2



AWR48D4



AWR60D4



AWR72D6





Interior Dimensions

For detailed pan configuration, please refer to the next page.

Casters

Rear grate



Temperature control

Atosa is continuously improving products. Specifications are subject to change without notice.

ATOSA USA, INC.
Toll Free: 855-855-0399 Email: info@atosausa.com
www.atosa.com | www.atosausa.com
California, Colorado, Florida, Georgia, Illinois,
New Jersey, Ohio, Texas, Washington

"WE MAKE THE KITCHEN BETTER!"

PAN CONFIGURATION

Standard Configuration



Optional Configuration



Atosa is continuously improving products. Specifications are subject to change without notice.