

24" Grab-and-Go Open Refrigerated Floor Self-Serve Display Case

ITEM: 25825

MODEL: RS-CN-0250

Display products on the go. Its slim size makes this ideal for places with limited space.

This open refrigerated floor display case is ideal for restaurants, cafes, and bakeries. It is perfect for your customers to easily see what products are for sale – featuring its crystal clear glass design with digital temperature controls for precision.

FEATURES:

- **Sleek Design**

This merchandiser pairs a durable structure with a user-friendly design while maintaining high product visibility and aesthetics.

- **Adjustable Shelves with Curtain**

Features a pull-down curtain and adjustable shelf positions.

- **R290 Refrigerant**

Powerful, and environmentally safe refrigeration system. to keep your products at safe temperatures.


- **LED Lighting System**

Our LED system uses a fraction of the energy of regular fluorescent lights, and its interior lighting brings highlights to your products.

- **Casters and Stand**


For easy mobility, making it simpler to move, install, and clean the unit. They also help protect flooring and improve flexibility in space management.

Available in Canada only.



FEATURES

Condenser located on the back, ensures sufficient space for air cooling



condenser fan motor built in front for easy access



Equipped with digital display, hidden casters & two adjustable feet



TECHNICAL SPECIFICATION

| | |
|---------------------------|---|
| Item | 25825 |
| Model | RS-CN-0250 |
| Capacity | 8.9 cu. ft. (252 L) |
| Number of Doors | 1 Pull Down Curtain |
| Number of Shelves | 3 |
| Shelf Size | 2pcs - 15" x 21.7" (381 x 552 mm) 1pc - 12" x 21.7" (305 x 552 mm) |
| Number of Casters | Yes (4) |
| Power | 138 W |
| Lamp Power (LED) | 1.44*4 W |
| Amps | 14.5 A |
| Electrical | 110V / 60Hz / 1Ph |
| Temperature Controller | Digital |
| Temperature Range | 2 - 10°C (36 - 50 °F) |
| Refrigerant | R290 |
| Injection | 148g |
| Type Of Climate | 6 |
| Insulation Material | Cyclopentane |
| Defrosting | Automatic |
| Cooling System | Air Cooling |
| Interior Dimensions (WDH) | 21.7" x 22" x 38.5" (552 x 559 x 978 mm) |
| Net Weight | 220.5 lbs (100 kgs) |
| Net Dimensions (WDH) | 24" x 29.7" x 67" (610 x 754 x 1704 mm) |
| Gross Weight | 243 lbs (110 kgs) |
| Gross Dimensions (WDH) | 27" x 33" x 74" (691 x 830 x 1875 mm) |
| Plug Type | NEMA 5-15P |

TECHNICAL DRAWING

